



3 day Chocó trip - species list of birds

Birds seen and/or heard by Nicki Hall and Sam Slater from 25 till 28 January 2010 with Dušan M. Brinkhuizen as guide. Places that were visited include Reserva Las Gralarias, Reserva Mangaloma, Bellavista and Milpe Bird Sanctuary. A total of 206 species were recorded.

Species		Bold = rare	* Heard-only
Sickle-winged Guan	<i>Chamaepetes</i>	<i>goudotii</i>	
Rufous-fronted Wood-Quail	<i>Odontophorus</i>	<i>erythroptus</i>	*
Dark-backed Wood-Quail	<i>Odontophorus</i>	<i>melanonotus</i>	*
Cattle Egret	<i>Bubulcus</i>	<i>ibis</i>	
Turkey Vulture	<i>Cathartes</i>	<i>aura</i>	
Black Vulture	<i>Coragyps</i>	<i>atratus</i>	
Hook-billed Kite	<i>Chondrohierax</i>	<i>uncinatus</i>	
Swallow-tailed Kite	<i>Elanoides</i>	<i>forficatus</i>	
Plumbeous Kite	<i>Ictinia</i>	<i>plumbea</i>	
Barred Hawk	<i>Leucopternis</i>	<i>princeps</i>	
Roadside Hawk	<i>Buteo</i>	<i>magnirostris</i>	
American Kestrel	<i>Falco</i>	<i>sparverius</i>	
White-throated Crake	<i>Laterallus</i>	<i>albigularis</i>	*
Ruddy Pigeon	<i>Patagioenas</i>	<i>subvinacea</i>	
White-tipped Dove	<i>Leptotila</i>	<i>verreauxi</i>	
Maroon-tailed Parakeet	<i>Pyrrhura</i>	<i>melanura</i>	
Barred Parakeet	<i>Bolborhynchus</i>	<i>lineola</i>	*
Pacific Parrotlet	<i>Forpus</i>	<i>coelestis</i>	*
Rose-faced Parrot	<i>Pyrilia</i>	<i>pulchra</i>	
Red-billed Parrot	<i>Pionus</i>	<i>sordidus</i>	
Bronze-winged Parrot	<i>Pionus</i>	<i>chalconotus</i>	
Mealy Amazon	<i>Amazona</i>	<i>farinosa</i>	
Little Cuckoo	<i>Coccyzina</i>	<i>minuta</i>	

Squirrel Cuckoo	<i>Piaya</i>	<i>cayana</i>
Smooth-billed Ani	<i>Crotophaga</i>	<i>ani</i>
Striped Cuckoo	<i>Tapera</i>	<i>naevia</i>
Colombian Screech-Owl	<i>Megascops</i>	<i>colombianus</i>
Cloud-forest Pygmy-Owl	<i>Glaucidium</i>	<i>nubicola</i>
Oilbird	<i>Steatornis</i>	<i>caripensis</i>
Spot-fronted Swift	<i>Cypseloides</i>	<i>cherriei</i>
White-collared Swift	<i>Streptoprocne</i>	<i>zonaris</i>
White-necked Jacobin	<i>Florisuga</i>	<i>mellivora</i>
White-whiskered Hermit	<i>Phaethornis</i>	<i>yaruqui</i>
Tawny-bellied Hermit	<i>Phaethornis</i>	<i>syrmatophorus</i>
Gorgeted Sunangel	<i>Heliangelus</i>	<i>strophianus</i>
Green Thorntail	<i>Discosura</i>	<i>conversii</i>
Speckled Hummingbird	<i>Adelomyia</i>	<i>melanogenys</i>
Violet-tailed Sylph	<i>Agelaiocercus</i>	<i>coelestis</i>
Hoary Puffleg	<i>Haplophaedia</i>	<i>lugens</i>
Brown Inca	<i>Coeligena</i>	<i>wilsoni</i>
Collared Inca	<i>Coeligena</i>	<i>torquata</i>
Buff-tailed Coronet	<i>Boissonneaua</i>	<i>flavescens</i>
Velvet-purple Coronet	<i>Boissonneaua</i>	<i>jardini</i>
Booted Racket-tail	<i>Ocreatus</i>	<i>underwoodii</i>
Fawn-breasted Brilliant	<i>Heliodoxa</i>	<i>rubinoides</i>
Green-crowned Brilliant	<i>Heliodoxa</i>	<i>jacula</i>
Empress Brilliant	<i>Heliodoxa</i>	<i>imperatrix</i>
Purple-throated Woodstar	<i>Calliphlox</i>	<i>mittchellii</i>
Green-crowned Woodnymph	<i>Thalurania</i>	<i>fannyi</i>
Rufous-tailed Hummingbird	<i>Amazilia</i>	<i>tzacatl</i>
Andean Emerald	<i>Amazilia</i>	<i>franciae</i>
Black-throated Trogon	<i>Trogon</i>	<i>rufus</i>
Collared Trogon	<i>Trogon</i>	<i>collaris</i>
Masked Trogon	<i>Trogon</i>	<i>personatus</i>
Broad-billed Motmot	<i>Electron</i>	<i>platyrhynchum</i> *
Red-headed Barbet	<i>Eubucco</i>	<i>bourcierii</i>
Toucan Barbet	<i>Semnornis</i>	<i>ramphastinus</i>
Chestnut-mandibled Toucan	<i>Ramphastos</i>	<i>ambiguus</i>
Choco Toucan	<i>Ramphastos</i>	<i>brevis</i>
Crimson-rumped Toucanet	<i>Aulacorhynchus</i>	<i>haematopygus</i>
Plate-billed Mountain-Toucan	<i>Andigena</i>	<i>laminirostris</i>
Pale-mandibled Aracari	<i>Pteroglossus</i>	<i>torquatus</i>
Olivaceous Piculet	<i>Picumnus</i>	<i>olivaceus</i>
Red-rumped Woodpecker	<i>Veniliornis</i>	<i>kirkii</i>

Powerful Woodpecker	<i>Campephilus</i>	<i>pollens</i>	
Guayaquil Woodpecker	<i>Campephilus</i>	<i>gayaquilensis</i>	
Tawny-throated Leaftosser	<i>Sclerurus</i>	<i>mexicanus</i>	
Scaly-throated Leaftosser	<i>Sclerurus</i>	<i>guatemalensis</i>	
Pacific Hornero	<i>Furnarius</i>	<i>leucopus</i>	
Azara's Spinetail	<i>Synallaxis</i>	<i>azarae</i>	*
Slaty Spinetail	<i>Synallaxis</i>	<i>brachyura</i>	
Red-faced Spinetail	<i>Cranioleuca</i>	<i>erythroptus</i>	
Spotted Barbtail	<i>Premnoplex</i>	<i>brunnescens</i>	
Pacific Tuftedcheek	<i>Pseudocolaptes</i>	<i>lawrencii</i>	
Streaked Tuftedcheek	<i>Pseudocolaptes</i>	<i>boissonneautii</i>	
Scaly-throated Foliage-gleaner	<i>Anabacerthia</i>	<i>variegaticeps</i>	
Lineated Foliage-gleaner	<i>Syndactyla</i>	<i>subalaris</i>	
Western Woodhaunter	<i>Hyloctistes</i>	<i>subulatus</i>	
Buff-fronted Foliage-gleaner	<i>Philydor</i>	<i>rufum</i>	
Streak-capped Treehunter	<i>Thripadectes</i>	<i>virgaticeps</i>	
Plain Xenops	<i>Xenops</i>	<i>minutus</i>	
Plain-brown Woodcreeper	<i>Dendrocincla</i>	<i>fuliginosa</i>	
Wedge-billed Woodcreeper	<i>Glyphorhynchus</i>	<i>spirurus</i>	
Spotted Woodcreeper	<i>Xiphorhynchus</i>	<i>erythroptus</i>	
Montane Woodcreeper	<i>Lepidocolaptes</i>	<i>lacrymiger</i>	
Western Slaty-Antshrike	<i>Thamnophilus</i>	<i>atrinocha</i>	*
Spot-crowned Antwren	<i>Dysithamnus</i>	<i>puncticeps</i>	
Checker-throated Antwren	<i>Epinecrophylla</i>	<i>fulviventris</i>	
White-flanked Antwren	<i>Myrmotherula</i>	<i>axillaris</i>	
Rufous-rumped Antwren	<i>Terenura</i>	<i>callinota</i>	
Chestnut-backed Antbird	<i>Myrmeciza</i>	<i>exsul</i>	*
Esmeraldas Antbird	<i>Myrmeciza</i>	<i>nigricauda</i>	*
Immaculate Antbird	<i>Myrmeciza</i>	<i>immaculata</i>	
Black-headed Antthrush	<i>Formicarius</i>	<i>nigricapillus</i>	*
Rufous-breasted Antthrush	<i>Formicarius</i>	<i>rufipectus</i>	*
Moustached Antpitta	<i>Grallaria</i>	<i>alleni</i>	
Chestnut-crowned Antpitta	<i>Grallaria</i>	<i>ruficapilla</i>	*
Yellow-breasted Antpitta	<i>Grallaria</i>	<i>flavotincta</i>	
Rufous-crowned Antpitta	<i>Pittasoma</i>	<i>rufopileatum</i>	
Nariño Tapaculo	<i>Scytalopus</i>	<i>vicinior</i>	*
Spillmann's Tapaculo	<i>Scytalopus</i>	<i>spillmanni</i>	
Ocellated Tapaculo	<i>Acropternis</i>	<i>orthonyx</i>	*
Brown-capped Tyrannulet	<i>Ornithion</i>	<i>brunneicapillus</i>	*
Southern Beardless-Tyrannulet	<i>Camptostoma</i>	<i>obsoletum</i>	
White-tailed Tyrannulet	<i>Mecocerculus</i>	<i>poecilocercus</i>	

Rufous-headed Pygmy-Tyrant	<i>Pseudotriccus</i>	<i>ruficeps</i>	
Streak-necked Flycatcher	<i>Mionectes</i>	<i>striaticollis</i>	
Ochre-bellied Flycatcher	<i>Mionectes</i>	<i>oleagineus</i>	
Slaty-capped Flycatcher	<i>Leptopogon</i>	<i>superciliaris</i>	
Ornate Flycatcher	<i>Myiotriccus</i>	<i>ornatus</i>	
Scale-crested Pygmy-Tyrant	<i>Lophotriccus</i>	<i>pileatus</i>	*
Rufous-crowned Tody-Flycatcher	<i>Poecilotriccus</i>	<i>ruficeps</i>	
Black-headed Tody-Flycatcher	<i>Todirostrum</i>	<i>nigriceps</i>	*
Yellow-margined Flatbill	<i>Tolmomyias</i>	<i>assimilis</i>	
Flavescent Flycatcher	<i>Myiophobus</i>	<i>flavicans</i>	
Acadian Flycatcher	<i>Empidonax</i>	<i>virescens</i>	
Smoke-colored Pewee	<i>Contopus</i>	<i>fumigatus</i>	
Western Wood-Pewee	<i>Contopus</i>	<i>sordidulus</i>	
Black Phoebe	<i>Sayornis</i>	<i>nigricans</i>	
Masked Water-Tyrant	<i>Fluvicola</i>	<i>nengeta</i>	
Rusty-margined Flycatcher	<i>Myiozetetes</i>	<i>cayanensis</i>	
White-ringed Flycatcher	<i>Conopias</i>	<i>albovittatus</i>	*
Golden-crowned Flycatcher	<i>Myiodynastes</i>	<i>chrysocephalus</i>	*
Boat-billed Flycatcher	<i>Megarynchus</i>	<i>pitangua</i>	
Tropical Kingbird	<i>Tyrannus</i>	<i>melancholicus</i>	
Dusky-capped Flycatcher	<i>Myiarchus</i>	<i>tuberculifer</i>	
Green-and-black Fruiteater	<i>Pipreola</i>	<i>riefferii</i>	*
Orange-breasted Fruiteater	<i>Pipreola</i>	<i>jucunda</i>	
Scaled Fruiteater	<i>Ampelioides</i>	<i>tschudii</i>	
Long-wattled Umbrellabird	<i>Cephalopterus</i>	<i>penduliger</i>	
Golden-winged Manakin	<i>Masius</i>	<i>chrysopterus</i>	
Club-winged Manakin	<i>Machaeropterus</i>	<i>deliciosus</i>	
Thrush-like Schiffornis	<i>Schiffornis</i>	<i>turdina</i>	*
Barred Becard	<i>Pachyramphus</i>	<i>versicolor</i>	
Cinnamon Becard	<i>Pachyramphus</i>	<i>cinnamomeus</i>	
Slaty-capped Shrike-Vireo	<i>Vireolanius</i>	<i>leucotis</i>	*
Brown-capped Vireo	<i>Vireo</i>	<i>leucophrys</i>	
Red-eyed Vireo	<i>Vireo</i>	<i>olivaceus</i>	
Lesser Greenlet	<i>Hylophilus</i>	<i>decurtatus</i>	
Turquoise Jay	<i>Cyanolyca</i>	<i>turcosa</i>	
Blue-and-white Swallow	<i>Pygochelidon</i>	<i>cyanoleuca</i>	
White-thighed Swallow	<i>Atticora</i>	<i>tibialis</i>	
Southern Rough-winged Swallow	<i>Stelgidopteryx</i>	<i>ruficollis</i>	
Southern Nightingale Wren	<i>Microcerculus</i>	<i>marginatus</i>	*
House Wren	<i>Troglodytes</i>	<i>aedon</i>	
Mountain Wren	<i>Troglodytes</i>	<i>solstitialis</i>	

Band-backed Wren	<i>Campylorhynchus</i>	<i>zonatus</i>	*
Bay Wren	<i>Thryothorus</i>	<i>nigricapillus</i>	*
Sharpe's Wren	<i>Cinnycerthia</i>	<i>olivascens</i>	
Gray-breasted Wood-Wren	<i>Henicorhina</i>	<i>leucophrys</i>	
Andean Solitaire	<i>Myadestes</i>	<i>ralloides</i>	*
Slaty-backed Nightingale-Thrush	<i>Catharus</i>	<i>fuscater</i>	*
Swainson's Thrush	<i>Catharus</i>	<i>ustulatus</i>	
Black Solitaire	<i>Entomodestes</i>	<i>coracinus</i>	
Ecuadorian Thrush	<i>Turdus</i>	<i>nudigenis</i>	
Great Thrush	<i>Turdus</i>	<i>fuscater</i>	
Western Hemispingus	<i>Hemispingus</i>	<i>melanotis</i>	
White-shouldered Tanager	<i>Tachyphonus</i>	<i>luctuosus</i>	
Tawny-crested Tanager	<i>Tachyphonus</i>	<i>delatrii</i>	
White-lined Tanager	<i>Tachyphonus</i>	<i>rufus</i>	
Lemon-rumped Tanager	<i>Ramphocelus</i>	<i>flammigerus</i>	
Blue-gray Tanager	<i>Thraupis</i>	<i>episcopus</i>	
Moss-backed Tanager	<i>Bangsia</i>	<i>edwardsi</i>	
Blue-winged Mountain-Tanager	<i>Anisognathus</i>	<i>somptuosus</i>	
Black-chinned Mountain-Tanager	<i>Anisognathus</i>	<i>notabilis</i>	
Glistening-green Tanager	<i>Chlorochrysa</i>	<i>phoenicotis</i>	
Golden-naped Tanager	<i>Tangara</i>	<i>ruficervix</i>	
Blue-necked Tanager	<i>Tangara</i>	<i>cyanicollis</i>	
Beryl-spangled Tanager	<i>Tangara</i>	<i>nigroviridis</i>	
Metallic-green Tanager	<i>Tangara</i>	<i>labradorides</i>	
Bay-headed Tanager	<i>Tangara</i>	<i>gyrola</i>	
Flame-faced Tanager	<i>Tangara</i>	<i>parzudakii</i>	
Golden Tanager	<i>Tangara</i>	<i>arthus</i>	
Silver-throated Tanager	<i>Tangara</i>	<i>icterocephala</i>	
Capped Conebill	<i>Conirostrum</i>	<i>albifrons</i>	
White-sided Flowerpiercer	<i>Diglossa</i>	<i>albilatera</i>	
Indigo Flowerpiercer	<i>Diglossa</i>	<i>indigotica</i>	
Masked Flowerpiercer	<i>Diglossa</i>	<i>cyanea</i>	
Dusky Bush-Tanager	<i>Chlorospingus</i>	<i>semifuscus</i>	
Yellow-throated Bush-Tanager	<i>Chlorospingus</i>	<i>flavigularis</i>	
Dusky-faced Tanager	<i>Mitrospingus</i>	<i>cassinii</i>	*
Bananaquit	<i>Coereba</i>	<i>flaveola</i>	
Slate-colored Grosbeak	<i>Saltator</i>	<i>grossus</i>	*
Buff-throated Saltator	<i>Saltator</i>	<i>maximus</i>	
Black-winged Saltator	<i>Saltator</i>	<i>atripennis</i>	
Rufous-collared Sparrow	<i>Zonotrichia</i>	<i>capensis</i>	
Blue-black Grassquit	<i>Volatinia</i>	<i>jacarina</i>	

Variable Seedeater	<i>Sporophila</i>	<i>corvina</i>	
Yellow-bellied Seedeater	<i>Sporophila</i>	<i>nigricollis</i>	
Orange-billed Sparrow	<i>Arremon</i>	<i>aurantiistrotris</i>	
Chestnut-capped Brush-Finch	<i>Arremon</i>	<i>brunneinucha</i>	
Tricolored Brush-Finch	<i>Atlapetes</i>	<i>tricolor</i>	
Summer Tanager	<i>Piranga</i>	<i>rubra</i>	*
Ochre-breasted Tanager	<i>Chlorothraupis</i>	<i>stolzmanni</i>	
Tropical Parula	<i>Parula</i>	<i>pitiayumi</i>	
Blackburnian Warbler	<i>Dendroica</i>	<i>fusca</i>	
Olive-crowned Yellowthroat	<i>Geothlypis</i>	<i>semiflava</i>	
Slate-throated Redstart	<i>Myioborus</i>	<i>miniatus</i>	
Spectacled Redstart	<i>Myioborus</i>	<i>melanocephalus</i>	
Russet-crowned Warbler	<i>Basileuterus</i>	<i>coronatus</i>	
Choco Warbler	<i>Basileuterus</i>	<i>trifasciatus</i>	
Three-striped Warbler	<i>Basileuterus</i>	<i>tristriatus</i>	
Buff-rumped Warbler	<i>Phaeothlypis</i>	<i>fulvicauda</i>	
Scarlet-rumped Caciue	<i>Cacicus</i>	<i>uropygialis</i>	
Orange-bellied Euphonia	<i>Euphonia</i>	<i>xanthogaster</i>	
Yellow-collared Chlorophonia	<i>Chlorophonia</i>	<i>flavirostris</i>	

n = 206