

Northern Ecuador: from Andes to Amazon

Dušan M. Brinkhuizen - June 2011

Summary

This is a checklist of bird species seen during an eighteen day custom tour in Northern Ecuador. The first week we birded the western slope of the Andes where we picked up a good number of Chocó endemics. After that we spent four nights at Napo Wildlife Center in the remote Amazon lowlands where we wrapped up a good number of species (>200). The last (unfortunately rainy) days



we birded the highlands and cloud-forests on the east-slope plus we did some inter-Andean valley birding. In addition we did sightseeing at parque Condor and shopping at the Otavalo market. We saw many amazing and rare



species including Torrent Duck, Salvin's Curassow, Zigzag Heron, Gray-necked Wood-rail, Andean Snipe, Red-and-green Macaw (plus four other species of macaw!), Rose-faced Parrot, Fiery Topaz, Sword-billed Hummingbird, Ecuadorian Hillstar, Indigo-crowned Quail-dove, Andean Condor, Black-and-chestnut Eagle, San Isidro Owl, Chocó Trogon, American Pygmy Kingfisher (plus four other species of kingfisher!), five species of jacamar, Toucan Barbet, Plate-billed

Mountain-toucan, Ringed Woodpecker, Powerful Woodpecker, Black-tailed Leaf-tosser, Chestnut-winged Hookbill, Long-billed Woodcreeper, Undulated Antshrike, many species of antbirds, antpittas and antwrens, males of Orange-breasted and Black-chested Fruiteaters, males of Spangled and Plum-throated Cotingas, Black-necked Red-cotinga, Chocó Vireo, Black Solitaire, Indigo Flowerpiercer, Moss-backed Tanagers, Scarlet-tighed Dacnis and many, many more!



Tour itinerary

| | | |
|------------------|---------------------|--|
| Day 1 | <i>10 June</i> | Yanacocha, Nono-Mindo road, Reserva Las Gralarias |
| Day 2 | <i>11 June</i> | Reserva Las Gralarias |
| Day 3 | <i>12 June</i> | Rio Silanche Bird Sanctuary |
| Day 4 | <i>13 June</i> | Refugio Paz de las Aves, Tandayapa Valley, Bellavista, Milpe |
| Day 5 | <i>14 June</i> | San Jorge de Milpe, Milpe road |
| Day 6 | <i>15 June</i> | Milpe, Mashpi |
| Day 7-11 | <i>16 -20 June</i> | Napo Wildlife Center |
| Day 12 | <i>21 June</i> | Antisana, Guango |
| Day 13-14 | <i>22 - 23 June</i> | Guango, Papallacta, Baeza, San Isidro |



- Day 15** *24 June* Guacamayos Ridge, Loreto road, Narupa reserve
- Day 16** *25 June* San Isidro, Bosque Jeruzalem, Otavalo
- Day 17-18** *26 - 27 June* Otavalo, Lago San Pablo, Laguna Mojanda, Cuicocha



Species List of Birds

The taxonomy of this list follows: Ridgely, R.S. & Greenfield, P.J. (2006). *Aves del Ecuador*, Vol I. Quito: Colibri Digital

x = seen, ♪ = heard

| | D 1 | D 2 | D 3 | D 4 | D 5 | D 6 | D 7-11 | D 12 | 13-14 | D 15 | D 16 | 17-18 |
|---------------------------|-----|-----|-----|-----|-----|-----|--------|------|-------|------|------|-------|
| Great Tinamou | | | | | | | ♪ | | | | | |
| Cinereous Tinamou | | | | | | | ♪ | | | | | |
| Little Tinamou | | | ♪ | | | | ♪ | | | | | |
| Undulated Tinamou | | | | | | | X | | | | | |
| Variiegated Tinamou | | | | | | | ♪ | | | | | |
| Torrent Duck | | | | | | | | | X | X | | |
| Andean Teal | | | | | | | | X | | | | X |
| Yellow-billed Pintail | | | | | | | | | | | X | X |
| Andean Ruddy Duck | | | | | | | | X | | | | X |
| Sickle-winged Guan | | | | X | | | | | | | | |
| Andean Guan | | | | | | | | | | X | | |
| Blue-throated Piping-Guan | | | | | | | X | | | | | |
| Wattled Guan | | | | | ♪ | | | | | | | |
| Speckled Chachalaca | | | | | | | X | | | | | |
| Salvin's Curassow | | | | | | | X | | | | | |
| Rufous-fronted Wood-Quail | | | X | | X | | | | | | | |
| Dark-backed Wood-Quail | | | | X | | | | | | | | |
| Pied-billed Grebe | | | | | | | | | | | | X |
| Silvery Grebe | | | | | | | | X | | | | |

| | |
|--------------------------|----------------------------------|
| Roadside Hawk | <i>Buteo magnirostris</i> |
| Short-tailed Hawk | <i>Buteo brachyurus</i> |
| Variable Hawk | <i>Buteo polyosoma</i> |
| Black Hawk-Eagle | <i>Spizaetus tyrannus</i> |
| Black-and-chestnut Eagle | <i>Spizaetus isidori</i> |
| Laughing Falcon | <i>Herpetotheres cachinnans</i> |
| Barred Forest-Falcon | <i>Micrastur ruficollis</i> |
| Red-throated Caracara | <i>Ibycter americanus</i> |
| Carunculated Caracara | <i>Phalcoboenus carunculatus</i> |
| Black Caracara | <i>Daptrius ater</i> |
| Yellow-headed Caracara | <i>Milvago chimachima</i> |
| American Kestrel | <i>Falco sparverius</i> |
| Bat Falcon | <i>Falco rufigularis</i> |
| Limpkin | <i>Aramus guarauna</i> |
| Ecuadorian Rail | <i>Rallus aequatorialis</i> |
| Gray-necked Wood-Rail | <i>Aramides cajanea</i> |
| White-throated Crane | <i>Laterallus albigularis</i> |
| Common Gallinule | <i>Gallinula chloropus</i> |
| Purple Gallinule | <i>Porphyrio martinica</i> |
| Andean Coot | <i>Fulica ardesiaca</i> |
| Southern Lapwing | <i>Vanellus chilensis</i> |
| Andean Lapwing | <i>Vanellus resplendens</i> |
| Collared Plover | <i>Charadrius collaris</i> |
| Andean Snipe | <i>Gallinago jamesoni</i> |
| Andean Gull | <i>Chroicocephalus serranus</i> |
| Yellow-billed Tern | <i>Sternula superciliaris</i> |
| Large-billed Tern | <i>Phaetusa simplex</i> |
| Common Ground-Dove | <i>Columbina passerina</i> |

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | X | X | X | X | X | | X | X | X | |
| | | | | | | X | | | | | |
| | | | | | | | X | | | | X |
| | | | | | | ♪ | | | | | |
| | | | X | | | | | | | | |
| | | | | X | | | | | | | |
| | | | ♪ | | | | | | | | |
| | | | | | | ♪ | | | | | |
| | | | | | | | X | | | | |
| | | | | | | X | | | | | |
| | X | X | | | | | X | | | | |
| | | | | | | X | | | | | |
| | | | | | | X | | | | | |
| | | | | | | | | | | ♪ | ♪ |
| | | | | | | X | | | | | |
| | | ♪ | | X | | | | | | | |
| | | | | | | | | | | X | X |
| | | | | | | X | | | | | |
| | | | | | | | X | | | X | X |
| | | | | | | | | X | | | |
| X | | | | | | | X | | | | |
| | | | | | | X | | | | | |
| | | | | | | | X | | | | |
| | | | | | | | | X | | | X |
| | | | | | | X | | | | | |
| | | | | | | X | | | | | |
| | | | | | | | | | | X | |



| | |
|---------------------------|--------------------------------|
| Black-winged Ground-Dove | <i>Metriopelia melanoptera</i> |
| Rock Pigeon | <i>Columba livia</i> |
| Band-tailed Pigeon | <i>Patagioenas fasciata</i> |
| Pale-vented Pigeon | <i>Patagioenas cayennensis</i> |
| Plumbeous Pigeon | <i>Patagioenas plumbea</i> |
| Ruddy Pigeon | <i>Patagioenas subvinacea</i> |
| Dusky Pigeon | <i>Patagioenas goodsoni</i> |
| Eared Dove | <i>Zenaida auriculata</i> |
| White-tipped Dove | <i>Leptotila verreauxi</i> |
| Pallid Dove | <i>Leptotila pallida</i> |
| Gray-fronted Dove | <i>Leptotila rufaxilla</i> |
| Indigo-crowned Quail-Dove | <i>Geotrygon purpurata</i> |
| Sapphire Quail-Dove | <i>Geotrygon saphirina</i> |
| White-throated Quail-Dove | <i>Geotrygon frenata</i> |
| Blue-and-yellow Macaw | <i>Ara ararauna</i> |
| Scarlet Macaw | <i>Ara macao</i> |
| Red-and-green Macaw | <i>Ara chloropterus</i> |
| Chestnut-fronted Macaw | <i>Ara severus</i> |
| Red-bellied Macaw | <i>Orthopsittaca manilata</i> |
| White-eyed Parakeet | <i>Aratinga leucophthalma</i> |
| Dusky-headed Parakeet | <i>Aratinga weddellii</i> |
| Maroon-tailed Parakeet | <i>Pyrrhura melanura</i> |
| Barred Parakeet | <i>Bolborhynchus lineola</i> |
| Blue-winged Parrotlet | <i>Forpus xanthopterygius</i> |
| Pacific Parrotlet | <i>Forpus coelestis</i> |
| Cobalt-winged Parakeet | <i>Brotogeris cyanoptera</i> |
| Black-headed Parrot | <i>Pionites melanocephalus</i> |
| Rose-faced Parrot | <i>Pyrilia pulchra</i> |

| | | | | | | | | | | | |
|---|---|---|--|---|--|---|---|---|---|---|---|
| | | | | | | | X | | | | |
| | | | | | | X | | | | | |
| X | X | | | | | | | X | | | |
| | | | | | | ♪ | | | | | |
| | ♪ | | | | | X | | | | | |
| | | X | | | | | | | | | |
| | | ♪ | | | | | | | | | |
| X | | | | | | | | | | X | X |
| | X | X | | | | | | | | | |
| | | ♪ | | | | | | | | | |
| | | | | | | X | | | | | |
| | | | | X | | | | | | | |
| | | | | | | ♪ | | | | | |
| | | | | | | | | | ♪ | | |
| | | | | | | X | | | | | |
| | | | | | | X | | | | | |
| | | | | | | X | | | | | |
| | | | | | | X | | | | | |
| | | | | | | X | | | | | |
| | | | | | | X | | | | | |
| | | | | | | X | | | | | |
| | | ♪ | | X | | ♪ | | | | | |
| | X | | | | | | | | | | |
| | | | | | | X | | | | | |
| | | ♪ | | | | | | | | | |
| | | | | | | X | | | | | |
| | | | | | | X | | | | | |
| | | ♪ | | X | | | | | | | |



| | |
|---------------------------|---------------------------------|
| Orange-cheeked Parrot | <i>Pyrilia barrabandi</i> |
| Red-billed Parrot | <i>Pionus sordidus</i> |
| White-capped Parrot | <i>Pionus seniloides</i> |
| Bronze-winged Parrot | <i>Pionus chalcopterus</i> |
| Yellow-crowned Amazon | <i>Amazona ochrocephala</i> |
| Orange-winged Amazon | <i>Amazona amazonica</i> |
| Scaly-naped Amazon | <i>Amazona mercenaria</i> |
| Mealy Amazon | <i>Amazona farinosa</i> |
| Hoatzin | <i>Opisthocomus hoazin</i> |
| Little Cuckoo | <i>Coccyzua minuta</i> |
| Squirrel Cuckoo | <i>Piaya cayana</i> |
| Greater Ani | <i>Crotophaga major</i> |
| Smooth-billed Ani | <i>Crotophaga ani</i> |
| Striped Cuckoo | <i>Tapera naevia</i> |
| Tawny-bellied Screech-Owl | <i>Otus watsonii</i> |
| Crested Owl | <i>Lophotrix cristata</i> |
| Spectacled Owl | <i>Pulsatrix perspicillata</i> |
| Mottled Owl | <i>Ciccaba virgata</i> |
| San Isidro Owl | <i>Ciccaba sp.</i> |
| Rufous-banded Owl | <i>Ciccaba albitarsis</i> |
| Andean Pygmy-Owl | <i>Glaucidium jardinii</i> |
| Ferruginous Pygmy-Owl | <i>Glaucidium brasilianum</i> |
| Short-tailed Nighthawk | <i>Lurocalis semitorquatus</i> |
| Rufous-bellied Nighthawk | <i>Lurocalis rufiventris</i> |
| Common Pauraque | <i>Nyctidromus albicollis</i> |
| Ladder-tailed Nightjar | <i>Hydropsalis climacocerca</i> |
| Spot-fronted Swift | <i>Cypseloides cherriei</i> |
| Chestnut-collared Swift | <i>Streptoprocne rutila</i> |

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|--|---|---|---|
| | | | | | | X | | | | | |
| X | X | | | | | | | | X | | |
| | | | | | | | | | X | | |
| | | X | | X | | | | | | | |
| | | | | | | ♪ | | | | | |
| | | | | | | X | | | | | |
| | ♪ | | | | | | | | | X | |
| | | | | | | X | | | | | |
| | | | | | | X | | | | | |
| | | | | | | ♪ | | | | | |
| | | X | | X | X | X | | | | X | |
| | | | | | | X | | | | | |
| | | X | | X | | | | | X | X | X |
| | | X | | | | | | | | | |
| | | | | | | X | | | | | |
| | | | ♪ | ♪ | | | | | | | |
| | | | | | | ♪ | | | | | |
| | | | ♪ | ♪ | | | | | | | |
| | | | | | | | | | | X | |
| | | | | | | | ♪ | | | | |
| ♪ | | | | | | | | | | | |
| | | | | | | X | | | | | |
| | | | | | | X | | | | | |
| | | | | | | | | | | X | |
| | | | | ♪ | | X | | | | | |
| | | | | | | X | | | | | |
| X | | | | | | | | | | | |
| | | | | | | | | | X | | |

| | | | | | | | | | | | | |
|--------------------------|----------------------------------|---|---|--|---|---|---|---|---|---|---|---|
| White-collared Swift | <i>Streptoprocne zonaris</i> | | X | | X | | | X | | | X | |
| Gray-rumped Swift | <i>Chaetura cinereiventris</i> | | X | | X | | | | | | | |
| Short-tailed Swift | <i>Chaetura brachyura</i> | | | | | | X | | | | | |
| Fork-tailed Palm-Swift | <i>Tachornis squamata</i> | | | | | | X | | | | | |
| Fiery Topaz | <i>Topaza pyra</i> | | | | | | X | | | | | |
| White-necked Jacobin | <i>Florisuga mellivora</i> | | X | | X | | X | | | | | |
| Rufous-breasted Hermit | <i>Glaucis hirsutus</i> | | | | | | X | | | | | |
| Band-tailed Barbthroat | <i>Threnetes ruckeri</i> | | X | | | | | | | | | |
| Black-throated Hermit | <i>Phaethornis atrimentalis</i> | | | | | | X | | | | | |
| Stripe-throated Hermit | <i>Phaethornis striigularis</i> | | | | X | | | | | | | |
| White-whiskered Hermit | <i>Phaethornis yaruqui</i> | | X | | X | | | | | | | |
| Tawny-bellied Hermit | <i>Phaethornis symmatophorus</i> | X | | | | | | | X | | | |
| Great-billed Hermit | <i>Phaethornis malaris</i> | | | | | | X | | | | | |
| Green Violetear | <i>Colibri thalassinus</i> | X | | | | | | | | | | |
| Sparkling Violetear | <i>Colibri coruscans</i> | X | | | | | | | | | X | |
| Purple-crowned Fairy | <i>Heliodytes barroti</i> | | X | | | | | | | | | |
| Gorgeted Sunangel | <i>Heliangelus strophianus</i> | X | | | | | | | | | | |
| Tourmaline Sunangel | <i>Heliangelus exortis</i> | | | | | | | X | | | X | |
| Green Thorntail | <i>Discosura conversii</i> | | X | | X | X | | | | | | |
| Speckled Hummingbird | <i>Adelomyia melanogenys</i> | X | | | | | | | | X | X | |
| Long-tailed Sylph | <i>Agelaiocercus kingi</i> | | | | | | | X | | X | X | |
| Violet-tailed Sylph | <i>Agelaiocercus coelestis</i> | X | | | | | | | | | | |
| Ecuadorian Hillstar | <i>Oreotrochilus chimborazo</i> | | | | | | | X | | | | |
| Black-tailed Trainbearer | <i>Lesbia victoriae</i> | | | | | | | X | | | | |
| Tyrian Metaltail | <i>Metallura tyrianthina</i> | X | | | | | | X | X | | X | |
| Viridian Metaltail | <i>Metallura williami</i> | | | | | | | | X | | | |
| Sapphire-vented Puffleg | <i>Eriocnemis luciani</i> | X | | | | | | | | | | X |
| Golden-breasted Puffleg | <i>Eriocnemis mosquera</i> | X | | | | | | | | | | |

| | |
|---------------------------|-------------------------------------|
| Shining Sunbeam | <i>Aglaeactis cupripennis</i> |
| Bronzy Inca | <i>Coeligena coeligena</i> |
| Brown Inca | <i>Coeligena wilsoni</i> |
| Collared Inca | <i>Coeligena torquata</i> |
| Buff-winged Starfrontlet | <i>Coeligena lutetiae</i> |
| Mountain Velvetbreast | <i>Lafresnaya lafresnayi</i> |
| Sword-billed Hummingbird | <i>Ensifera ensifera</i> |
| Great Sapphirewing | <i>Pterophanes cyanopterus</i> |
| Buff-tailed Coronet | <i>Boissonneaua flavescens</i> |
| Chestnut-breasted Coronet | <i>Boissonneaua matthewsii</i> |
| Velvet-purple Coronet | <i>Boissonneaua jardini</i> |
| Booted Racket-tail | <i>Ocreatus underwoodii</i> |
| White-tailed Hillstar | <i>Urochroa bougueri</i> |
| Purple-bibbed Whitetip | <i>Urosticte benjamini</i> |
| Fawn-breasted Brilliant | <i>Heliodoxa rubinoides</i> |
| Green-crowned Brilliant | <i>Heliodoxa jacula</i> |
| Empress Brilliant | <i>Heliodoxa imperatrix</i> |
| Giant Hummingbird | <i>Patagona gigas</i> |
| Purple-collared Woodstar | <i>Myrtis fanny</i> |
| White-bellied Woodstar | <i>Chaetocercus mulsant</i> |
| Purple-throated Woodstar | <i>Calliphlox mitchellii</i> |
| Western Emerald | <i>Chlorostilbon melanorhynchus</i> |
| Green-crowned Woodnymph | <i>Thalurania fannyi</i> |
| Fork-tailed Woodnymph | <i>Thalurania furcata</i> |
| Many-spotted Hummingbird | <i>Taphrospilus hypostictus</i> |
| Olive-spotted Hummingbird | <i>Leucippus chlorocercus</i> |
| Rufous-tailed Hummingbird | <i>Amazilia tzacatl</i> |
| Andean Emerald | <i>Amazilia franciae</i> |

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| X | | | | | | | X | X | | | |
| | | | | | | | | X | X | X | |
| | X | | | | | | | | | | |
| | | | X | | | | X | X | X | X | |
| X | | | | | | | X | X | | | |
| X | | | | | | | X | X | | | |
| X | | | | | | | | | | | X |
| | X | | | | | | X | X | | | |
| | | | | | | | X | X | X | X | |
| | X | | | | | | | | | | |
| | | | | | | | | | X | X | |
| | | | | | | | | | X | | |
| | X | | | | | | | X | | | |
| | | X | | X | | | | | | | |
| | X | | | | | | | | | | |
| | | | | | | | X | | | | |
| | | | | | | | | | | | X |
| | | | | | X | | | | | | |
| | | | | | | X | | | | | |
| | | | | | | | | | X | | |
| | | | | | | X | | | | | |
| | | X | | X | | | | | | | X |
| | X | | | | | | | | | | |

| | |
|----------------------------|----------------------------------|
| Smoky-brown Woodpecker | <i>Picoides fumigatus</i> |
| Little Woodpecker | <i>Veniliornis passerinus</i> |
| Scarlet-backed Woodpecker | <i>Veniliornis callonotus</i> |
| Golden-olive Woodpecker | <i>Colaptes rubiginosus</i> |
| Crimson-mantled Woodpecker | <i>Colaptes rivolii</i> |
| Spot-breasted Woodpecker | <i>Colaptes punctigula</i> |
| Scale-breasted Woodpecker | <i>Celeus grammicus</i> |
| Chestnut Woodpecker | <i>Celeus elegans</i> |
| Cream-colored Woodpecker | <i>Celeus flavus</i> |
| Ringed Woodpecker | <i>Celeus torquatus</i> |
| Lineated Woodpecker | <i>Dryocopus lineatus</i> |
| Powerful Woodpecker | <i>Campephilus pollens</i> |
| Crimson-crested Woodpecker | <i>Campephilus melanoleucos</i> |
| Guayaquil Woodpecker | <i>Campephilus gayaquilensis</i> |
| Black-tailed Leaf-tosser | <i>Sclerurus caudacutus</i> |
| Stout-billed Cinclodes | <i>Cinclodes excelsior</i> |
| Bar-winged Cinclodes | <i>Cinclodes fuscus</i> |
| Pacific Hornero | <i>Furnarius leucopus</i> |
| Azara's Spinetail | <i>Synallaxis azarae</i> |
| Rufous Spinetail | <i>Synallaxis unirufa</i> |
| Slaty Spinetail | <i>Synallaxis brachyura</i> |
| White-bellied Spinetail | <i>Synallaxis propinqua</i> |
| White-browed Spinetail | <i>Hellmayrea gularis</i> |
| Parker's Spinetail | <i>Cranioleuca vulpecula</i> |
| Red-faced Spinetail | <i>Cranioleuca erythroptus</i> |
| Ash-browed Spinetail | <i>Cranioleuca curtata</i> |
| Many-striped Canastero | <i>Asthenes flammulata</i> |
| Spotted Barbtail | <i>Premnoplex brunnescens</i> |

| | | | | | | | | | | | |
|---|---|---|---|---|--|---|---|---|---|---|--|
| | | | X | | | | | ♪ | | | |
| | | | | | | X | | | | | |
| | | | | X | | | | | | | |
| X | X | | | | | | | X | X | ♪ | |
| | | | | | | X | | | | | |
| | | | | | | X | | | | | |
| | | | | | | X | | | | | |
| | | | | | | X | | | | | |
| | | X | | X | | | | | | | |
| | | | ♪ | | | | | | X | | |
| | | | | | | X | | | | | |
| | | | | X | | | | | | | |
| | | | | | | X | | | | | |
| | | | | | | X | | | | | |
| | | X | | | | | | | | | |
| ♪ | ♪ | | | | | | | X | | | |
| | | | | | | | | | | ♪ | |
| | | | ♪ | | | | | | | | |
| | | | | | | X | | | | | |
| ♪ | | | | | | | | ♪ | | | |
| | | | | | | X | | | | | |
| | X | | | | | | | | | | |
| | | | | | | | | X | X | | |
| | | | | | | | X | | | | |
| | | | | | | | | X | | X | |

| | |
|---------------------------------|--|
| Pearled Treerunner | <i>Margarornis squamiger</i> |
| Pacific Tuftedcheek | <i>Pseudocolaptes lawrencii</i> |
| Streaked Tuftedcheek | <i>Pseudocolaptes boissonneautii</i> |
| Scaly-throated Foliage-gleaner | <i>Anabacerthia variegaticeps</i> |
| Montane Foliage-gleaner | <i>Anabacerthia striaticollis</i> |
| Lineated Foliage-gleaner | <i>Syndactyla subalaris</i> |
| Chestnut-winged Hookbill | <i>Ancistrops strigilatus</i> |
| Western Woodhaunter | <i>Hyloctistes virgatus</i> |
| Buff-fronted Foliage-gleaner | <i>Philydor rufum</i> |
| Cinnamon-rumped Foliage-gleaner | <i>Philydor pyrrhodes</i> |
| Uniform Treehunter | <i>Thripadectes ignobilis</i> |
| Flammulated Treehunter | <i>Thripadectes flammulatus</i> |
| Buff-throated Foliage-gleaner | <i>Automolus ochrolaemus</i> |
| Olive-backed Foliage-gleaner | <i>Automolus infuscatus</i> |
| Ruddy Foliage-gleaner | <i>Automolus rubiginosus</i> |
| Plain Xenops | <i>Xenops minutus</i> |
| Streaked Xenops | <i>Xenops rutilans</i> |
| Tyrannine Woodcreeper | <i>Dendrocincla tyrannina</i> |
| Plain-brown Woodcreeper | <i>Dendrocincla fuliginosa</i> |
| Olivaceous Woodcreeper | <i>Sittasomus griseicapillus</i> |
| Wedge-billed Woodcreeper | <i>Glyphorhynchus spirurus</i> |
| Long-billed Woodcreeper | <i>Nasica longirostris</i> |
| Cinnamon-throated Woodcreeper | <i>Dendrexetastes rufigula</i> |
| Strong-billed Woodcreeper | <i>Xiphocolaptes promeropirhynchus</i> |
| Amazonian Barred-Woodcreeper | <i>Dendrocolaptes certhia</i> |
| Black-banded Woodcreeper | <i>Dendrocolaptes picumnus</i> |
| Striped Woodcreeper | <i>Xiphorhynchus obsoletus</i> |
| Spix's Woodcreeper | <i>Xiphorhynchus spixii</i> |

| | | | | | | | | | | | |
|--|---|--|--|---|---|--|---|---|---|---|--|
| | | | | | | | | X | | X | |
| | | | | | ♪ | | | | | | |
| | X | | | | | | | | | | |
| | | | | X | | | | | | | |
| | | | | | | | | X | X | | |
| | ♪ | | | X | | | | | | | |
| | | | | | | | X | | | | |
| | | | | X | | | | | | | |
| | | | | X | | | | | | | |
| | | | | | | | X | | | | |
| | | | | | ♪ | | | | | | |
| | | | | | | | X | | | | |
| | | | | X | | | | | | | |
| | | | | | | | | X | | | |
| | | | | X | | | | | | X | |
| | | | | | | | | | | | |
| | | | | X | X | | | | | | |
| | | | | | | | X | | | | |
| | | | | | | | X | | | | |
| | X | | | | | | | | | | |
| | | | | | | | ♪ | | | | |
| | | | | | | | X | | | | |
| | | | | | | | X | | | | |
| | | | | | | | X | | | | |

| | |
|-------------------------------|------------------------------------|
| Buff-throated Woodcreeper | <i>Xiphorhynchus guttatus</i> |
| Spotted Woodcreeper | <i>Xiphorhynchus erythropygius</i> |
| Olive-backed Woodcreeper | <i>Xiphorhynchus triangularis</i> |
| Streak-headed Woodcreeper | <i>Lepidocolaptes souleyetii</i> |
| Montane Woodcreeper | <i>Lepidocolaptes lacrymiger</i> |
| Undulated Antshrike | <i>Frederickena unduligera</i> |
| Great Antshrike | <i>Taraba major</i> |
| Barred Antshrike | <i>Thamnophilus doliatus</i> |
| Western Slaty-Antshrike | <i>Thamnophilus atrinucha</i> |
| Plain-winged Antshrike | <i>Thamnophilus schistaceus</i> |
| Mouse-colored Antshrike | <i>Thamnophilus murinus</i> |
| Castelnau's Antshrike | <i>Thamnophilus cryptoleucus</i> |
| Russet Antshrike | <i>Thamnistes anabatinus</i> |
| Dusky-throated Antshrike | <i>Thamnomanes ardesiacus</i> |
| Cinereous Antshrike | <i>Thamnomanes caesius</i> |
| Checker-throated Antwren | <i>Epinecrophylla fulviventris</i> |
| Brown-backed (Yasuni) Antwren | <i>Epinecrophylla fjeldsaai</i> |
| Foothill Antwren | <i>Epinecrophylla spodionota</i> |
| Pygmy Antwren | <i>Myrmotherula brachyura</i> |
| Moustached Antwren | <i>Myrmotherula ignota</i> |
| Amazonian Streaked-Antwren | <i>Myrmotherula multostriata</i> |
| Pacific Antwren | <i>Myrmotherula pacifica</i> |
| Plain-throated Antwren | <i>Myrmotherula hauxwelli</i> |
| White-flanked Antwren | <i>Myrmotherula axillaris</i> |
| Slaty Antwren | <i>Myrmotherula schisticolor</i> |
| Yellow-breasted Antwren | <i>Herpsilochmus axillaris</i> |
| Dot-winged Antwren | <i>Microrhopias quixensis</i> |
| Long-tailed Antbird | <i>Drymophila caudata</i> |

| | | | | | | | | | | | |
|--|---|---|---|---|---|---|--|---|---|---|--|
| | | | | | | X | | | | | |
| | | X | | | | | | | | | |
| | | | | | | | | X | X | X | |
| | | X | | | | | | | | | |
| | X | | X | | | | | X | X | X | |
| | | | | | | X | | | | | |
| | | X | | | | | | | | | |
| | | | | | | X | | | | | |
| | | | | | | | | X | | | |
| | | | | | | | | ♪ | | | |
| | | | | | | | | ♪ | | | |
| | | | | | ♪ | | | | | ♪ | |
| | | | | | | X | | | | | |
| | | | | | | X | | | | | |
| | | X | | ♪ | | | | | | | |
| | | | | | | X | | | | | |
| | | | | | | | | | X | | |
| | | | | | | X | | | | | |
| | | | | | | | | ♪ | | | |
| | | | | | | X | | | | | |
| | | X | | | | | | | | | |
| | | | | | | | | ♪ | | | |
| | | X | | | | X | | | | | |
| | | | | | X | | | | | | |
| | | | | | | | | | | X | |
| | | X | | X | | | | | | | |
| | | | ♪ | | | | | | X | | |

| | |
|---------------------------|----------------------------------|
| Rufous-rumped Antwren | <i>Terenura callinota</i> |
| Gray Antbird | <i>Cercomacra cinerascens</i> |
| Black-faced Antbird | <i>Myrmoborus myotherinus</i> |
| Black-and-white Antbird | <i>Myrmochanes hemileucus</i> |
| Silvered Antbird | <i>Sclateria naevia</i> |
| Spot-winged Antbird | <i>Schistocichla leucostigma</i> |
| Chestnut-backed Antbird | <i>Myrmeciza exsul</i> |
| Esmeraldas Antbird | <i>Myrmeciza nigricauda</i> |
| White-shouldered Antbird | <i>Myrmeciza melanoceps</i> |
| Plumbeous Antbird | <i>Myrmeciza hyperythra</i> |
| Sooty Antbird | <i>Myrmeciza fortis</i> |
| Immaculate Antbird | <i>Myrmeciza immaculata</i> |
| Lunulated Antbird | <i>Gymnopithys lunulatus</i> |
| Spot-backed Antbird | <i>Hylophylax naevius</i> |
| Dot-backed Antbird | <i>Hylophylax punctulatus</i> |
| Reddish-winged Bare-eye | <i>Phlegopsis erythroptera</i> |
| Rufous-capped Antthrush | <i>Formicarius colma</i> |
| Black-faced Antthrush | <i>Formicarius analis</i> |
| Black-headed Antthrush | <i>Formicarius nigricapillus</i> |
| Rufous-breasted Antthrush | <i>Formicarius rufipectus</i> |
| Giant Antpitta | <i>Grallaria gigantea</i> |
| Moustached Antpitta | <i>Grallaria alleni</i> |
| Ochre-striped Antpitta | <i>Grallaria dignissima</i> |
| Chestnut-crowned Antpitta | <i>Grallaria ruficapilla</i> |
| Chestnut-naped Antpitta | <i>Grallaria nuchalis</i> |
| Yellow-breasted Antpitta | <i>Grallaria flavotincta</i> |
| White-bellied Antpitta | <i>Grallaria hypoleuca</i> |
| Rufous Antpitta | <i>Grallaria rufula</i> |

| | | | | | | | | | | | |
|---|---|---|--|---|---|---|--|--|---|--|--|
| | | | | | | | | | X | | |
| | | | | | | ♪ | | | | | |
| | | | | | | X | | | | | |
| | | | | | | X | | | | | |
| | | | | | | X | | | | | |
| | | ♪ | | ♪ | | | | | | | |
| | | | | ♪ | | | | | | | |
| | | | | | | ♪ | | | | | |
| | | | | | | X | | | | | |
| | | | | | | ♪ | | | | | |
| | | | | | X | | | | | | |
| | | | | | | X | | | | | |
| | | | | | | X | | | | | |
| | | | | | | ♪ | | | | | |
| | | | | | | X | | | | | |
| | | | | | | ♪ | | | | | |
| | | | | | X | | | | | | |
| | | | | | | | | | ♪ | | |
| | ♪ | | | X | | | | | | | |
| | | | | | | | | | X | | |
| X | | | | | | | | | | | |

| | |
|-----------------------------------|-----------------------------------|
| Tawny Antpitta | <i>Grallaria quitensis</i> |
| Ochre-breasted Antpitta | <i>Grallricula flavirostris</i> |
| Rusty-belted Tapaculo | <i>Liosceles thoracicus</i> |
| Blackish Tapaculo | <i>Scytalopus latrans</i> |
| Equatorial Rufous-vented Tapaculo | <i>Scytalopus micropterus</i> |
| Nariño Tapaculo | <i>Scytalopus vicinior</i> |
| Spillmann's Tapaculo | <i>Scytalopus spillmanni</i> |
| Paramo Tapaculo | <i>Scytalopus canus</i> |
| Ocellated Tapaculo | <i>Acropternis orthonyx</i> |
| Sooty-headed Tyrannulet | <i>Phyllomyias griseiceps</i> |
| Ashy-headed Tyrannulet | <i>Phyllomyias cinereiceps</i> |
| Yellow-crowned Tyrannulet | <i>Tyrannulus elatus</i> |
| Yellow-crowned Elaenia | <i>Myiopagis flavivertex</i> |
| Greenish Elaenia | <i>Myiopagis viridicata</i> |
| White-crested Elaenia | <i>Elaenia albiceps</i> |
| Mottle-backed Elaenia | <i>Elaenia gigas</i> |
| Sierran Elaenia | <i>Elaenia pallatangae</i> |
| Brown-capped Tyrannulet | <i>Ornithion brunneicapillus</i> |
| Southern Beardless-Tyrannulet | <i>Camptostoma obsoletum</i> |
| White-tailed Tyrannulet | <i>Mecocerculus poecilocercus</i> |
| White-banded Tyrannulet | <i>Mecocerculus stictopterus</i> |
| White-throated Tyrannulet | <i>Mecocerculus leucophrys</i> |
| Sulphur-bellied Tyrannulet | <i>Mecocerculus minor</i> |
| Tufted Tit-Tyrant | <i>Anairetes parulus</i> |
| Torrent Tyrannulet | <i>Serpophaga cinerea</i> |
| Rufous-headed Pygmy-Tyrant | <i>Pseudotriccus ruficeps</i> |
| Lesser Wagtail-Tyrant | <i>Stigmatura napensis</i> |
| Chocó Tyrannulet | <i>Zimmerius albigularis</i> |

| | | | | | | | | | | | |
|---|---|---|---|--|--|---|---|---|---|---|---|
| X | | | | | | | | | | | |
| | | | X | | | | | | | | |
| | | | | | | ♪ | | | | | |
| ♪ | | | | | | | | | | | ♪ |
| | | | | | | | | X | ♪ | ♪ | |
| | ♪ | | ♪ | | | | | | | | |
| | X | | | | | | | | | | |
| | | | | | | | | ♪ | | | |
| ♪ | | | ♪ | | | | | | | | |
| | | ♪ | | | | | | | | | |
| | X | | ♪ | | | | | | | | |
| | | | | | | X | | | | | |
| | | | | | | X | | | | | |
| | | X | | | | | | | | | |
| ♪ | | | | | | | X | | | | |
| | | | | | | X | | | | | |
| | | | ♪ | | | | | X | | X | |
| | | X | | | | | | | | | ♪ |
| | X | | | | | | | | | | |
| X | | | | | | | | | | | |
| ♪ | | | | | | | | | | | X |
| | | | | | | | | X | | | |
| | | | | | | | X | | | | |
| | | | | | | | | | | X | |
| | | | | | | | | ♪ | | | |
| | | | | | | X | | | | | |
| | | X | | | | | | | | | |

| | |
|--------------------------------|------------------------------------|
| Golden-faced Tyrannulet | <i>Zimmerius chrysops</i> |
| Marble-faced Bristle-Tyrant | <i>Phylloscartes ophthalmicus</i> |
| Ecuadorian Tyrannulet | <i>Phylloscartes gualaquizae</i> |
| Streak-necked Flycatcher | <i>Mionectes striaticollis</i> |
| Olive-striped Flycatcher | <i>Mionectes olivaceus</i> |
| Ochre-bellied Flycatcher | <i>Mionectes oleagineus</i> |
| Slaty-capped Flycatcher | <i>Leptopogon superciliaris</i> |
| Rufous-breasted Flycatcher | <i>Leptopogon rufipectus</i> |
| Ornate Flycatcher | <i>Myiotriccus ornatus</i> |
| Black-capped Pygmy-Tyrant | <i>Myiornis atricapillus</i> |
| Scale-crested Pygmy-Tyrant | <i>Lophotriccus pileatus</i> |
| Double-banded Pygmy-Tyrant | <i>Lophotriccus vitiuosus</i> |
| White-eyed Tody-Tyrant | <i>Hemitriccus zosterops</i> |
| Rufous-crowned Tody-Flycatcher | <i>Poecilatriccus ruficeps</i> |
| Spotted Tody-Flycatcher | <i>Todirostrum maculatum</i> |
| Common Tody-Flycatcher | <i>Todirostrum cinereum</i> |
| Black-headed Tody-Flycatcher | <i>Todirostrum nigriceps</i> |
| Yellow-browed Tody-Flycatcher | <i>Todirostrum chrysocrotaphum</i> |
| Yellow-olive Flatbill | <i>Tolmomyias sulphurescens</i> |
| Zimmer's Flatbill | <i>Tolmomyias assimilis</i> |
| Yellow-margined Flatbill | <i>Tolmomyias flavotectus</i> |
| Olive-faced Flatbill | <i>Tolmomyias viridiceps</i> |
| Flavescent Flycatcher | <i>Myiophobus flavicans</i> |
| Handsome Flycatcher | <i>Myiophobus pulcher</i> |
| Bran-colored Flycatcher | <i>Myiophobus fasciatus</i> |
| Black-tailed Myiobius | <i>Myiobius atricaudus</i> |
| Cinnamon Flycatcher | <i>Pyrrhomyias cinnamomeus</i> |
| Fuscous Flycatcher | <i>Cnemotriccus fuscatus</i> |

| | | | | | | | | | | | | |
|--|---|---|---|---|--|--|---|---|---|---|---|--|
| | | | | | | | | | ♪ | X | | |
| | | | | | | | | | X | X | | |
| | | | | | | | | | | X | | |
| | | | X | | | | | | X | | | |
| | | | | X | | | | | | X | | |
| | | | | | | | X | | | | | |
| | | | | X | | | | | | X | | |
| | | | | | | | | | X | | | |
| | X | | | | | | | | | X | | |
| | | X | | | | | | | | | | |
| | | X | | ♪ | | | | | | | | |
| | | | | | | | | ♪ | | | | |
| | | | | | | | | X | | | | |
| | ♪ | | | | | | | | X | | | |
| | | | | | | | X | | | | | |
| | | | | | | | | | | X | | |
| | | | | | | | X | | | | | |
| | | X | | | | | | | | | | |
| | | ♪ | | | | | | | | | | |
| | | | | | | | X | | | | | |
| | | | | | | | | | | | X | |
| | | | | | | | X | | | | | |
| | | | | | | | | X | | | | |
| | | | ♪ | | | | | | X | | | |
| | | | | | | | | | | | X | |
| | | | X | | | | | | | | | |
| | | | X | | | | | | | | | |
| | | | | | | | | | X | | X | |
| | | | | | | | X | | | | | |

| | |
|-----------------------------|--|
| Smoke-colored Pewee | <i>Contopus fumigatus</i> |
| Black Phoebe | <i>Sayornis nigricans</i> |
| Vermilion Flycatcher | <i>Pyrocephalus rubinus</i> |
| Rufous-tailed Tyrant | <i>Knipolegus poecilurus</i> |
| Drab Water-Tyrant | <i>Ochthornis littoralis</i> |
| Paramo Ground-Tyrant | <i>Muscisaxicola alpina</i> |
| Black-billed Shrike-Tyrant | <i>Agriornis montanus</i> |
| Streak-throated Bush-Tyrant | <i>Myiozetetes striaticollis</i> |
| Masked Water-Tyrant | <i>Fluvicola nengeta</i> |
| Crowned Chat-Tyrant | <i>Ochthoeca frontalis</i> |
| Slaty-backed Chat-Tyrant | <i>Ochthoeca cinnamomeiventris</i> |
| Brown-backed Chat-Tyrant | <i>Ochthoeca fumicolor</i> |
| Piratic Flycatcher | <i>Legatus leucophaeus</i> |
| Rusty-margined Flycatcher | <i>Myiozetetes cayanensis</i> |
| Social Flycatcher | <i>Myiozetetes similis</i> |
| Gray-capped Flycatcher | <i>Myiozetetes granadensis</i> |
| Dusky-chested Flycatcher | <i>Myiozetetes luteiventris</i> |
| Great Kiskadee | <i>Pitangus sulphuratus</i> |
| Lesser Kiskadee | <i>Pitangus lictor</i> |
| Golden-crowned Flycatcher | <i>Myiodynastes chrysocephalus</i> |
| Sulphur-bellied Flycatcher | <i>Myiodynastes luteiventris</i> |
| Streaked Flycatcher | <i>Myiodynastes maculatus</i> |
| Boat-billed Flycatcher | <i>Megarynchus pitangua</i> |
| Sulphury Flycatcher | <i>Tyrannopsis sulphurea</i> |
| Crowned Slaty-Flycatcher | <i>Empidonomus aurantioatrocristatus</i> |
| Snowy-throated Kingbird | <i>Tyrannus niveigularis</i> |
| Tropical Kingbird | <i>Tyrannus melancholicus</i> |
| Grayish Mourner | <i>Rhytipterna simplex</i> |

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | X | ♪ | ♪ | | | | | X | | | |
| | | | X | | | | | X | | X | |
| | | | | | | | | | | X | X |
| | | | | | | | | X | | | |
| | | | | | | X | | | | | |
| | | | | | | | X | | | | |
| X | | | | | | | | | | | X |
| | | X | | | | | | | | | |
| X | | | | | | | | | | | |
| ♪ | | | | | | | | | | | |
| X | | | | | | | X | | | | X |
| | | X | | | | X | | | | | |
| | | X | | X | | | | | | | |
| | | | | | | X | | | | | |
| | | | | | | X | | | | | |
| | | | | | | | X | | | | |
| | | | | | | | X | | | | |
| | ♪ | | | | X | | | | | | ♪ |
| | | | | | | | ♪ | | | | |
| | | | | | | | X | | | | |
| | | X | | | | | X | | | | |
| | | | | | | | X | | | | |
| | | | | | | | X | | | | |
| | | | | | X | | | | | | |
| | X | X | X | X | | | X | | X | X | |
| | | | | | | | ♪ | | | | |

| | |
|-------------------------------|-----------------------------------|
| Black-tailed Tityra | <i>Tityra cayana</i> |
| Masked Tityra | <i>Tityra semifasciata</i> |
| Thrush-like Schiffornis | <i>Schiffornis turdina</i> |
| White-browed Purpletuft | <i>Iodopleura isabellae</i> |
| Barred Becard | <i>Pachyramphus versicolor</i> |
| Cinnamon Becard | <i>Pachyramphus cinnamomeus</i> |
| White-winged Becard | <i>Pachyramphus polychopterus</i> |
| One-colored Becard | <i>Pachyramphus homochrous</i> |
| Black-billed Peppershrike | <i>Cyclarhis nigrirostris</i> |
| Slaty-capped Shrike-Vireo | <i>Vireolanius leucotis</i> |
| Chocó Vireo | <i>Vireo masteri</i> |
| Brown-capped Vireo | <i>Vireo leucophrys</i> |
| Red-eyed Vireo | <i>Vireo olivaceus</i> |
| Dusky-capped Greenlet | <i>Hylophilus hypoxanthus</i> |
| Olivaceous Greenlet | <i>Hylophilus olivaceus</i> |
| Lesser Greenlet | <i>Hylophilus decurtatus</i> |
| Turquoise Jay | <i>Cyanolyca turcosa</i> |
| Beautiful Jay | <i>Cyanolyca pulchra</i> |
| Violaceous Jay | <i>Cyanocorax violaceus</i> |
| Inca Jay | <i>Cyanocorax yncas</i> |
| Blue-and-white Swallow | <i>Pygochelidon cyanoleuca</i> |
| Brown-bellied Swallow | <i>Orochelidon murina</i> |
| White-banded Swallow | <i>Atticora fasciata</i> |
| White-thighed Swallow | <i>Atticora tibialis</i> |
| Southern Rough-winged Swallow | <i>Stelgidopteryx ruficollis</i> |
| Brown-chested Martin | <i>Progne tapera</i> |
| Gray-breasted Martin | <i>Progne chalybea</i> |
| White-winged Swallow | <i>Tachycineta albiventer</i> |

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | X | | | | | |
| | | | | | | | | | X | | |
| | | | | ♪ | | | | | | | |
| | | | | | | X | | | | | |
| | | | | | | | | X | | | |
| | | X | | | | | | | | | |
| | | | | | | X | | | | | |
| | | | | | X | | | | | | |
| | | | | | | ♪ | | | X | | ♪ |
| | | | ♪ | | | | | | | | |
| | | | | | | ♪ | | | | | |
| X | X | | | | | | | | X | | ♪ |
| | | X | | | | | | | | | |
| | | | | | | | ♪ | | | | |
| | | | | | | | | | | X | |
| | | X | | ♪ | | | | | | | |
| ♪ | | | | | | | | | X | | X |
| X | ♪ | | | | | | | | | | |
| | | | | | | X | | | | | |
| | | | | | | | | X | X | X | |
| | X | | | | | | | X | | X | X |
| X | | | | | | | | X | | | X |
| | | | | | | X | | | | | |
| | | X | | X | | | | | | | |
| | | X | | X | | | | | X | | |
| | | | | | | X | | | | | |
| | | | | | | X | | | | | |
| | | | | | | X | | | | | |

| | |
|---------------------------------|----------------------------------|
| Southern Nightingale Wren | <i>Microcerculus marginatus</i> |
| House Wren | <i>Troglodytes aedon</i> |
| Mountain Wren | <i>Troglodytes solstitialis</i> |
| Grass Wren | <i>Cistothorus platensis</i> |
| Thrush-like Wren | <i>Campylorhynchus turdinus</i> |
| Plain-tailed Wren | <i>Thryothorus euophrys</i> |
| Whiskered Wren | <i>Thryothorus mystacalis</i> |
| Coraya Wren | <i>Thryothorus coraya</i> |
| Bay Wren | <i>Thryothorus nigricapillus</i> |
| Buff-breasted Wren | <i>Thryothorus leucotis</i> |
| Rufous Wren | <i>Cinnycerthia unirufa</i> |
| Sepia-brown (Sharpe's) Wren | <i>Cinnycerthia olivascens</i> |
| White-breasted Wood-Wren | <i>Henicorhina leucosticta</i> |
| Gray-breasted Wood-Wren | <i>Henicorhina leucophrys</i> |
| Tawny-faced Gnatwren | <i>Microbates cinereiventris</i> |
| Long-billed Gnatwren | <i>Ramphocaenus melanurus</i> |
| Slate-throated Gnatcatcher | <i>Polioptila schistaceigula</i> |
| Black-capped Donacobius | <i>Donacobius atricapilla</i> |
| White-capped Dipper | <i>Cinclus leucocephalus</i> |
| Andean Solitaire | <i>Myadestes ralloides</i> |
| Slaty-backed Nightingale-Thrush | <i>Catharus fuscater</i> |
| Spotted Nightingale-Thrush | <i>Catharus dryas</i> |
| Black Solitaire | <i>Entomodestes coracinus</i> |
| Pale-eyed Thrush | <i>Turdus leucops</i> |
| Hauxwell's Thrush | <i>Turdus hauxwelli</i> |
| Ecuadorian Thrush | <i>Turdus maculirostris</i> |
| Black-billed Thrush | <i>Turdus ignobilis</i> |
| Great Thrush | <i>Turdus fuscater</i> |

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ♪ | | ♪ | | X | | | | | |
| | | X | | X | | | | | | | |
| | | | X | | | | | X | | | |
| | | | | | | | | ♪ | | | X |
| | | | | | | X | | | | | ♪ |
| | | | | | | | X | | | | |
| | | ♪ | | X | | | | | | | |
| | | | | | | | | ♪ | | | |
| ♪ | | | | | | | | | | | |
| | | | | | | | | | | ♪ | |
| | | | | | | | | | | ♪ | |
| | X | | | | | | | | ♪ | | |
| | | | | | ♪ | | | | | | |
| | | | | | | X | | | | | |
| | | X | | | | | | | | | |
| | | | | | | | X | | | | |
| | | | | | | | | | X | | |
| | | ♪ | | | | | | | ♪ | | X |
| | | ♪ | | | | | | | | | |
| | | | | X | | | | | | | |
| | | | | | X | | | | | | |
| | | | | | | X | | | | | |
| | | | | | | | | | | | |
| | X | | | | | | | | | | |
| | | | | | | | X | | | | |
| | | | X | | X | | | | | | |
| | | | | | | X | | X | | | |
| X | | | | | | | | X | | X | X |



| | |
|----------------------------------|----------------------------------|
| Glossy-black Thrush | <i>Turdus serranus</i> |
| Tropical Mockingbird | <i>Mimus gilvus</i> |
| Paramo Pipit | <i>Anthus bogotensis</i> |
| Magpie Tanager | <i>Cissopis leverianus</i> |
| Black-capped Hemispingus | <i>Hemispingus atropileus</i> |
| Superciliaried Hemispingus | <i>Hemispingus superciliaris</i> |
| Oleaginous Hemispingus | <i>Hemispingus frontalis</i> |
| Black-eared Hemispingus | <i>Hemispingus melanotis</i> |
| Gray-hooded Bush-Tanager | <i>Cnemoscopus rubrirostris</i> |
| Orange-headed Tanager | <i>Thlypopsis sordida</i> |
| Gray-headed Tanager | <i>Eucometis penicillata</i> |
| White-shouldered Tanager | <i>Tachyphonus luctuosus</i> |
| Tawny-crested Tanager | <i>Tachyphonus delatrii</i> |
| White-lined Tanager | <i>Tachyphonus rufus</i> |
| Silver-beaked Tanager | <i>Ramphocelus carbo</i> |
| Lemon-rumped Tanager | <i>Ramphocelus icteronotus</i> |
| Blue-gray Tanager | <i>Thraupis episcopus</i> |
| Palm Tanager | <i>Thraupis palmarum</i> |
| Blue-capped Tanager | <i>Thraupis cyanocephala</i> |
| Blue-and-yellow Tanager | <i>Thraupis bonariensis</i> |
| Moss-backed Tanager | <i>Bangsia edwardsi</i> |
| Hooded Mountain-Tanager | <i>Buthraupis montana</i> |
| Black-chested Mountain-Tanager | <i>Buthraupis eximia</i> |
| Scarlet-bellied Mountain-Tanager | <i>Anisognathus igniventris</i> |
| Blue-winged Mountain-Tanager | <i>Anisognathus somptuosus</i> |
| Black-chinned Mountain-Tanager | <i>Anisognathus notabilis</i> |
| Grass-green Tanager | <i>Chlorornis riefferii</i> |
| Buff-breasted Mountain-Tanager | <i>Dubusia taeniata</i> |

| | | | | | | | | | | | |
|---|---|---|---|---|--|--|---|---|---|---|---|
| | | | ♪ | | | | | X | | ♪ | |
| | | | | | | | | | | | X |
| | | | | | | | | X | | | X |
| | | | | | | | | | X | | |
| | | | | | | | | | X | | X |
| | | | | | | | | X | | | |
| | | | | | | | | | X | | |
| | | | | | | | | | | | |
| | | X | | | | | | | | | |
| | | X | | | | | | | | | |
| | | X | | | | | | | | | |
| | | | | | | | | X | | X | |
| | | X | X | X | | | | | | | |
| | | X | | X | | | X | | X | X | |
| | | X | | | | | X | | X | | |
| | X | | X | | | | | | | | |
| | | | | | | | | | | X | X |
| | | | | | | | X | | | | |
| X | | | | | | | | | X | X | |
| X | | | | | | | | | | | X |
| | X | | X | | | | | | | | |
| | X | | X | | | | | | | | |
| | | | X | | | | | | X | | |
| | | | | | | | | | | | X |

| | |
|--------------------------|---------------------------------|
| Yellow-throated Tanager | <i>Iridosornis analis</i> |
| Fawn-breasted Tanager | <i>Pipraeidea melanonota</i> |
| Glistening-green Tanager | <i>Chlorochrysa phoenicotis</i> |
| Orange-eared Tanager | <i>Chlorochrysa calliparaea</i> |
| Golden-naped Tanager | <i>Tangara ruficervix</i> |
| Black-capped Tanager | <i>Tangara heinei</i> |
| Gray-and-gold Tanager | <i>Tangara palmeri</i> |
| Scrub Tanager | <i>Tangara vitriolina</i> |
| Masked Tanager | <i>Tangara nigrocincta</i> |
| Golden-hooded Tanager | <i>Tangara larvata</i> |
| Blue-necked Tanager | <i>Tangara cyanicollis</i> |
| Spotted Tanager | <i>Tangara punctata</i> |
| Blue-and-black Tanager | <i>Tangara vassorii</i> |
| Beryl-spangled Tanager | <i>Tangara nigroviridis</i> |
| Metallic-green Tanager | <i>Tangara labradorides</i> |
| Turquoise Tanager | <i>Tangara mexicana</i> |
| Paradise Tanager | <i>Tangara chilensis</i> |
| Opal-rumped Tanager | <i>Tangara velia</i> |
| Rufous-winged Tanager | <i>Tangara lavinia</i> |
| Bay-headed Tanager | <i>Tangara gyrola</i> |
| Saffron-crowned Tanager | <i>Tangara xanthocephala</i> |
| Flame-faced Tanager | <i>Tangara parzudakii</i> |
| Green-and-gold Tanager | <i>Tangara schrankii</i> |
| Golden Tanager | <i>Tangara arthus</i> |
| Silver-throated Tanager | <i>Tangara icterocephala</i> |
| Swallow Tanager | <i>Tersina viridis</i> |
| Black-faced Dacnis | <i>Dacnis lineata</i> |
| Yellow-tufted Dacnis | <i>Dacnis egregia</i> |

| | | | | | | | | | | | |
|--|---|---|---|---|--|---|--|---|---|--|---|
| | | | | | | | | | X | | |
| | | X | X | | | | | | | | |
| | | | | X | | | | | | | |
| | | | | | | | | X | X | | |
| | | | X | | | | | | | | |
| | | | | | | | | X | | | |
| | | X | | | | | | | X | | |
| | | X | | | | | | | | | |
| | | | | | | | | | X | | |
| | | | X | | | | | | | | X |
| | X | | X | | | | | | | | |
| | | | X | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | X | | |
| | | | | | | X | | | | | |
| | | X | | | | | | | | | |
| | | X | | X | | | | | | | |
| | | | | | | | | X | | | |
| | X | | | | | | | | | | |
| | | | | | | X | | | | | |
| | X | | | | | | | | X | | |
| | | | | X | | | | | | | |
| | | | | X | | | | | | | |
| | | | | | | X | | | X | | |
| | | X | | | | | | | | | |

| | |
|-------------------------------|-----------------------------------|
| Scarlet-thighed Dacnis | <i>Dacnis venusta</i> |
| Purple Honeycreeper | <i>Cyanerpes caeruleus</i> |
| Green Honeycreeper | <i>Chlorophanes spiza</i> |
| Golden-collared Honeycreeper | <i>Iridophanes pulcherrimus</i> |
| Scarlet-browed Tanager | <i>Heterospingus xanthopygius</i> |
| Guira Tanager | <i>Hemithraupis guira</i> |
| Cinereous Conebill | <i>Conirostrum cinereum</i> |
| Blue-backed Conebill | <i>Conirostrum sitticolor</i> |
| Capped Conebill | <i>Conirostrum albifrons</i> |
| Rusty Flowerpiercer | <i>Diglossa sittoides</i> |
| Glossy Flowerpiercer | <i>Diglossa lafresnayii</i> |
| Black Flowerpiercer | <i>Diglossa humeralis</i> |
| White-sided Flowerpiercer | <i>Diglossa albilatera</i> |
| Indigo Flowerpiercer | <i>Diglossa indigotica</i> |
| Deep-blue Flowerpiercer | <i>Diglossa glauca</i> |
| Bluish Flowerpiercer | <i>Diglossa caeruleascens</i> |
| Masked Flowerpiercer | <i>Diglossa cyanea</i> |
| Common Bush-Tanager | <i>Chlorospingus ophthalmicus</i> |
| Dusky Bush-Tanager | <i>Chlorospingus semifuscus</i> |
| Yellow-whiskered Bush-Tanager | <i>Chlorospingus parvirostris</i> |
| Yellow-throated Bush-Tanager | <i>Chlorospingus flavigularis</i> |
| Ashy-throated Bush-Tanager | <i>Chlorospingus canigularis</i> |
| Dusky-faced Tanager | <i>Mitrospingus cassinii</i> |
| Bananaquit | <i>Coereba flaveola</i> |
| Yellow-faced Grassquit | <i>Tiaris olivaceus</i> |
| Slate-colored Grosbeak | <i>Saltator grossus</i> |
| Buff-throated Saltator | <i>Saltator maximus</i> |
| Black-winged Saltator | <i>Saltator atripennis</i> |

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|--|---|
| | | X | | | | | | | | | |
| | | | | X | | X | | | X | | |
| | | | | | | X | | | | | |
| | | | | | | | | X | | | |
| | | X | | | | | | | | | |
| | | X | | | | | | | | | |
| | | | | | | | X | | | | |
| X | | | | | | | | X | | | X |
| | X | | X | | | | | | | | |
| | | | | | | | | | | | X |
| X | | | | | | | | | | | |
| X | | | | | | | X | | | | |
| | X | | | | | | | | | | |
| | | | | | X | | | | | | |
| | | | | | | | | | X | | |
| X | X | | | | | | | | | | X |
| | | | | | | | | X | X | | |
| | X | | | | | | | | | | |
| | | | | | | | | X | | | |
| | | | | | X | | | | X | | |
| | | | | | | | | | X | | |
| | | ♪ | | ♪ | | | | | | | |
| | | X | | X | | | | | X | | |
| | | | X | | | | | | | | |
| | | | | ♪ | | | | | | | |
| | | X | | X | | | | | | | |
| | | X | | | | | | | | | |

| | |
|-----------------------------|-----------------------------------|
| Grayish Saltator | <i>Saltator coerulescens</i> |
| Streaked Saltator | <i>Saltator striatipectus</i> |
| Rufous-collared Sparrow | <i>Zonotrichia capensis</i> |
| Yellow-browed Sparrow | <i>Ammodramus aurifrons</i> |
| Plumbeous Sierra-Finch | <i>Phrygilus unicolor</i> |
| Ash-breasted Sierra-Finch | <i>Phrygilus plebejus</i> |
| Blue-black Grassquit | <i>Volatinia jacarina</i> |
| Variable Seedeater | <i>Sporophila corvina</i> |
| Caqueta Seedeater | <i>Sporophila murallae</i> |
| Yellow-bellied Seedeater | <i>Sporophila nigricollis</i> |
| Chestnut-bellied Seedeater | <i>Sporophila castaneiventris</i> |
| Lesser Seed-Finch | <i>Oryzoborus angolensis</i> |
| Band-tailed Seedeater | <i>Catamenia analis</i> |
| Plain-colored Seedeater | <i>Catamenia inornata</i> |
| Black-striped Sparrow | <i>Arremonops conirostris</i> |
| Orange-billed Sparrow | <i>Arremon aurantirostris</i> |
| Chestnut-capped Brush-Finch | <i>Arremon brunneinucha</i> |
| Stripe-headed Brush-Finch | <i>Arremon torquatus</i> |
| Pale-naped Brush-Finch | <i>Atlapetes pallidinucha</i> |
| Rufous-naped Brush-Finch | <i>Atlapetes latinuchus</i> |
| White-winged Tanager | <i>Piranga leucoptera</i> |
| Ochre-breasted Tanager | <i>Chlorothraupis stolzmanni</i> |
| Southern Yellow Grosbeak | <i>Pheucticus chrysogaster</i> |
| Tropical Parula | <i>Parula pitayumi</i> |
| Olive-crowned Yellowthroat | <i>Geothlypis semiflava</i> |
| Slate-throated Redstart | <i>Myioborus miniatus</i> |
| Spectacled Redstart | <i>Myioborus melanocephalus</i> |
| Chocó Warbler | <i>Basileuterus chlorophrys</i> |

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | X | | | | | |
| | | | | | | | | | | X | |
| X | X | X | X | | | | | | X | X | |
| | | | | | | X | | X | | | |
| | | | | | | | X | | | | |
| | | | | | | | | | | | X |
| | | | X | | | | | | | | |
| | | | X | | X | | | | | | |
| | | | | | | X | | | | | |
| | X | | | | X | | | | | | |
| | | | | | | X | | | X | | |
| | | | X | | | | | | | | |
| | | | | | | | | | | | X |
| X | | | | | | | | | | | X |
| | | | | | X | | | | | | |
| | | | ♪ | | X | | | | | | |
| | | | | X | X | | | | | | |
| | | | | | | | | | | | X |
| | | | | | | | | | ♪ | | |
| X | | | | | | | | | | | |
| | | | | X | | | | | | | |
| | | | | | | X | | | | | |
| | | | | | | X | | | | X | X |
| | | | | X | | | | X | X | | |
| X | X | | | X | | | | X | X | X | |
| | | | | | | | X | X | | X | X |
| | | | | X | | | | | | | |

| | |
|------------------------------|------------------------------------|
| Black-crested Warbler | <i>Basileuterus nigrocristatus</i> |
| Russet-crowned Warbler | <i>Basileuterus coronatus</i> |
| Three-striped Warbler | <i>Basileuterus tristriatus</i> |
| Buff-rumped Warbler | <i>Phaeothlypis fulvicauda</i> |
| Russet-backed Oropendola | <i>Psarocolius angustifrons</i> |
| Green Oropendola | <i>Psarocolius viridis</i> |
| Crested Oropendola | <i>Psarocolius decumanus</i> |
| Olive Oropendola | <i>Psarocolius bifasciatus</i> |
| Casqued Oropendola | <i>Clypicterus oseryi</i> |
| Northern Mountain Cacique | <i>Cacicus leucoramphus</i> |
| Yellow-rumped Cacique | <i>Cacicus cela</i> |
| Solitary Black Cacique | <i>Cacicus solitarius</i> |
| Subtropical Cacique | <i>Cacicus uropygialis</i> |
| Scarlet-rumped Cacique | <i>Cacicus uropygialis</i> |
| Epaulet Oriole | <i>Icterus cayanensis</i> |
| Scrub Blackbird | <i>Dives warszewiczi</i> |
| Oriole Blackbird | <i>Gymnomystax mexicanus</i> |
| Giant Cowbird | <i>Molothrus oryzivorus</i> |
| Shiny Cowbird | <i>Molothrus bonariensis</i> |
| Hooded Siskin | <i>Carduelis magellanica</i> |
| Thick-billed Euphonia | <i>Euphonia laniirostris</i> |
| White-lored Euphonia | <i>Euphonia chrysopasta</i> |
| Bronze-green Euphonia | <i>Euphonia mesochrysa</i> |
| Orange-bellied Euphonia | <i>Euphonia xanthogaster</i> |
| Rufous-bellied Euphonia | <i>Euphonia rufiventris</i> |
| Blue-naped Chlorophonia | <i>Chlorophonia cyanea</i> |
| Yellow-collared Chlorophonia | <i>Chlorophonia flavirostris</i> |

| | | | | | | | | | | | |
|---|---|---|---|---|---|--|---|---|---|---|---|
| | | | | | | | ♪ | X | | | |
| | X | | ♪ | | | | | X | | ♪ | |
| | ♪ | | | | | | | X | | | |
| | | | | X | | | | | | | |
| | | | | | X | | | X | | X | |
| | | | | | X | | | | | | |
| | | | | | X | | | | | | |
| | | | | | X | | | | | | |
| | | | | | | | | X | | X | |
| | | | | | | | | X | | | |
| | | | | | | | | X | | | |
| | | | | | | | | X | | | |
| X | | | | | | | | X | | | |
| | | X | | | | | | | | | |
| | | | | | | | | X | | | X |
| | | X | | | | | | | | | |
| | | | | | | | | X | | | |
| | | | | | | | | | | ♪ | |
| | X | | | X | | | | X | X | | |
| | | | | | | | X | | | | |
| | | | | | | | | | | ♪ | |
| | | | | X | | | | | | | |

| | | |
|-------------------------|------------------------------|----------------------------------|
| Total seen = 575 | Total heard-only = 87 | Grand total = 662 species |
|-------------------------|------------------------------|----------------------------------|

